

Water Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Butler County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
11B: Colo-----	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone	1.00	Somewhat limited Slow refill	0.30
					Cutbanks cave	0.10
Ely-----	Somewhat limited Seepage	0.70	Somewhat limited Depth to saturated zone Piping	0.43 0.24	Somewhat limited Slow refill	0.30
					Deep to water	0.25
					Cutbanks cave	0.10
27B: Terril-----	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.74	Very limited Deep to water	1.00
41B: Sparta-----	Very limited Seepage	1.00	Very limited Seepage	1.00	Very limited Deep to water	1.00
41C: Sparta-----	Very limited Seepage	1.00	Very limited Seepage	1.00	Very limited Deep to water	1.00
41D: Sparta-----	Very limited Seepage Slope	1.00 0.01	Very limited Seepage	1.00	Very limited Deep to water	1.00
43: Bremer-----	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone Hard to pack	1.00 0.45	Somewhat limited Slow refill	0.30
					Cutbanks cave	0.10
63C: Chelsea-----	Very limited Seepage	1.00	Somewhat limited Seepage	0.67	Very limited Deep to water	1.00
83B: Kenyon-----	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.50	Very limited Deep to water	1.00
83C: Kenyon-----	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.50	Very limited Deep to water	1.00

Water Management

Butler County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
83C2: Kenyon-----	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.50	Very limited Deep to water	1.00
83D2: Kenyon-----	Somewhat limited Seepage Slope	0.70 0.01	Somewhat limited Piping	0.50	Very limited Deep to water	1.00
84: Clyde-----	Very limited Seepage	1.00	Very limited Depth to saturated zone Piping	1.00 0.65	Somewhat limited Cutbanks cave	0.10
88: Nevin-----	Somewhat limited Seepage	0.70	Somewhat limited Depth to saturated zone	0.43	Somewhat limited Slow refill Deep to water Cutbanks cave	0.30 0.25 0.10
109C: Backbone-----	Very limited Seepage Depth to bedrock	1.00 0.86	Somewhat limited Thin layer Seepage	0.86 0.09	Very limited Deep to water	1.00
110B: Lamont-----	Very limited Seepage	1.00	Somewhat limited Seepage	0.56	Very limited Deep to water	1.00
110C: Lamont-----	Very limited Seepage	1.00	Somewhat limited Seepage	0.56	Very limited Deep to water	1.00
118: Garwin-----	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone	1.00	Somewhat limited Slow refill Cutbanks cave	0.30 0.10
119: Muscatine-----	Somewhat limited Seepage	0.70	Somewhat limited Depth to saturated zone	0.43	Somewhat limited Slow refill Deep to water Cutbanks cave	0.30 0.25 0.10

FIELD OFFICE TECHNICAL GUIDE Sec. II
ENGINEERING INTERPRETATIONS

Water Management

Butler County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
120: Tama-----	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.01	Very limited Deep to water	1.00
120B: Tama-----	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.01	Very limited Deep to water	1.00
133: Colo-----	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone	1.00	Somewhat limited Slow refill Cutbanks cave	0.30 0.10
135: Coland-----	Very limited Seepage	1.00	Very limited Depth to saturated zone Piping Seepage	1.00 0.29 0.09	Somewhat limited Cutbanks cave	0.10
150B: Hanska-----	Very limited Seepage	1.00	Very limited Depth to saturated zone Seepage	1.00 0.93	Very limited Cutbanks cave	1.00
151: Marshan-----	Very limited Seepage	1.00	Very limited Depth to saturated zone Seepage	1.00 0.95	Very limited Cutbanks cave	1.00
152: Marshan-----	Very limited Seepage	1.00	Very limited Depth to saturated zone Seepage	1.00 0.95	Very limited Cutbanks cave	1.00
153: Shandep-----	Very limited Seepage	1.00	Very limited Depth to saturated zone Seepage Piping	1.00 0.95 0.19	Very limited Cutbanks cave	1.00
162C: Downs-----	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.05	Very limited Deep to water	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
ENGINEERING INTERPRETATIONS

Water Management

Butler County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
162C2: Downs-----	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.07	Very limited Deep to water	1.00
171: Bassett-----	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.55	Very limited Deep to water	1.00
171B: Bassett-----	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.55	Very limited Deep to water	1.00
171C2: Bassett-----	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.55	Very limited Deep to water	1.00
171D2: Bassett-----	Somewhat limited Seepage Slope	0.70 0.01	Somewhat limited Piping	0.55	Very limited Deep to water	1.00
171F: Bassett-----	Somewhat limited Seepage Slope	0.70 0.12	Somewhat limited Piping	0.55	Very limited Deep to water	1.00
173: Hoopeston-----	Very limited Seepage	1.00	Very limited Depth to saturated zone Seepage	1.00 0.98	Very limited Cutbanks cave Deep to water	1.00 0.01
173B: Hoopeston-----	Very limited Seepage	1.00	Very limited Depth to saturated zone Seepage	1.00 0.98	Very limited Cutbanks cave Deep to water	1.00 0.01
174: Bolan-----	Very limited Seepage	1.00	Somewhat limited Seepage	0.54	Very limited Deep to water	1.00
174B: Bolan-----	Very limited Seepage	1.00	Somewhat limited Seepage	0.54	Very limited Deep to water	1.00
174C2: Bolan-----	Very limited Seepage	1.00	Somewhat limited Seepage	0.54	Very limited Deep to water	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
ENGINEERING INTERPRETATIONS

Water Management

Butler County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
175: Dickinson-----	Very limited Seepage	1.00	Somewhat limited Seepage	0.41	Very limited Deep to water	1.00
175B: Dickinson-----	Very limited Seepage	1.00	Somewhat limited Seepage	0.41	Very limited Deep to water	1.00
175C: Dickinson-----	Very limited Seepage	1.00	Somewhat limited Seepage	0.41	Very limited Deep to water	1.00
177: Saude-----	Very limited Seepage	1.00	Somewhat limited Seepage	1.00	Very limited Deep to water	1.00
177B: Saude-----	Very limited Seepage	1.00	Somewhat limited Seepage	1.00	Very limited Deep to water	1.00
177C: Saude-----	Very limited Seepage	1.00	Somewhat limited Seepage	1.00	Very limited Deep to water	1.00
178: Waukee-----	Very limited Seepage	1.00	Somewhat limited Seepage	0.43	Very limited Deep to water	1.00
178B: Waukee-----	Very limited Seepage	1.00	Somewhat limited Seepage	0.43	Very limited Deep to water	1.00
184: Klinger-----	Somewhat limited Seepage	0.70	Somewhat limited Depth to saturated zone Piping	0.43 0.05	Somewhat limited Slow refill Deep to water Cutbanks cave	0.30 0.25 0.10
198B: Floyd-----	Very limited Seepage	1.00	Somewhat limited Piping Depth to saturated zone	0.98 0.43	Somewhat limited Deep to water Cutbanks cave	0.25 0.10

FIELD OFFICE TECHNICAL GUIDE Sec. II
ENGINEERING INTERPRETATIONS

Water Management

Butler County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
201B: Coland-----	Very limited Seepage	1.00	Very limited Depth to saturated zone Piping Seepage	1.00 0.29 0.09	Somewhat limited Cutbanks cave	0.10
Terril-----	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.74	Very limited Deep to water	1.00
213: Rockton-----	Very limited Seepage Depth to bedrock	1.00 0.86	Somewhat limited Piping Thin layer	0.89 0.86	Very limited Deep to water	1.00
213B: Rockton-----	Very limited Seepage Depth to bedrock	1.00 0.86	Somewhat limited Piping Thin layer	0.89 0.86	Very limited Deep to water	1.00
214B: Rockton-----	Very limited Seepage Depth to bedrock	1.00 0.86	Somewhat limited Thin layer Piping	0.86 0.80	Very limited Deep to water	1.00
214C: Rockton-----	Very limited Seepage Depth to bedrock	1.00 0.86	Somewhat limited Thin layer Piping	0.86 0.80	Very limited Deep to water	1.00
214C2: Rockton-----	Very limited Seepage Depth to bedrock	1.00 0.86	Somewhat limited Thin layer Piping	0.86 0.80	Very limited Deep to water	1.00
221B: Palms-----	Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Somewhat limited Cutbanks cave	0.10
225: Lawler-----	Very limited Seepage	1.00	Somewhat limited Depth to saturated zone Seepage	0.43 0.43	Very limited Cutbanks cave Deep to water	1.00 0.25

FIELD OFFICE TECHNICAL GUIDE Sec. II
ENGINEERING INTERPRETATIONS

Water Management

Butler County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
226: Lawler-----	Very limited Seepage	1.00	Somewhat limited Depth to saturated zone Seepage	0.43 0.43	Very limited Cutbanks cave Deep to water	1.00 0.25
241C2: Saude-----	Very limited Seepage	1.00	Somewhat limited Seepage	1.00	Very limited Deep to water	1.00
Burkhardt-----	Very limited Seepage	1.00	Somewhat limited Seepage	0.91	Very limited Deep to water	1.00
241E2: Saude-----	Very limited Seepage Slope	1.00 0.02	Somewhat limited Seepage	1.00	Very limited Deep to water	1.00
Burkhardt-----	Very limited Seepage Slope	1.00 0.02	Somewhat limited Seepage	0.91	Very limited Deep to water	1.00
284: Flagler-----	Very limited Seepage	1.00	Somewhat limited Seepage	0.20	Very limited Deep to water	1.00
284B: Flagler-----	Very limited Seepage	1.00	Somewhat limited Seepage	0.20	Very limited Deep to water	1.00
284C: Flagler-----	Very limited Seepage	1.00	Somewhat limited Seepage	0.20	Very limited Deep to water	1.00
285C: Burkhardt-----	Very limited Seepage	1.00	Somewhat limited Seepage	0.91	Very limited Deep to water	1.00
350: Waukegan-----	Very limited Seepage	1.00	Somewhat limited Seepage	0.93	Very limited Deep to water	1.00
354: Aquolls-----	Not rated		Not rated		Not rated	

FIELD OFFICE TECHNICAL GUIDE Sec. II
ENGINEERING INTERPRETATIONS

Water Management

Butler County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
377B: Dinsdale-----	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.29	Very limited Deep to water	1.00
377C2: Dinsdale-----	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.29	Very limited Deep to water	1.00
382: Maxfield-----	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone Piping	1.00 0.01	Somewhat limited Slow refill Cutbanks cave	0.30 0.10
391B: Clyde-----	Very limited Seepage	1.00	Very limited Depth to saturated zone Piping	1.00 0.65	Somewhat limited Cutbanks cave	0.10
Floyd-----	Very limited Seepage	1.00	Somewhat limited Piping Depth to saturated zone	0.98 0.43	Somewhat limited Deep to water Cutbanks cave	0.25 0.10
394: Ostrander-----	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.96	Very limited Deep to water	1.00
394B: Ostrander-----	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.96	Very limited Deep to water	1.00
394C: Ostrander-----	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.96	Very limited Deep to water	1.00
394C2: Ostrander-----	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.96	Very limited Deep to water	1.00
398: Tripoli-----	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone Piping	1.00 0.21	Somewhat limited Slow refill Cutbanks cave	0.30 0.10

FIELD OFFICE TECHNICAL GUIDE Sec. II
ENGINEERING INTERPRETATIONS

Water Management

Butler County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
399: Readlyn-----	Somewhat limited Seepage	0.70	Somewhat limited Depth to saturated zone Piping	0.43 0.16	Somewhat limited Slow refill Deep to water Cutbanks cave	0.30 0.25 0.10
404: Thorp-----	Somewhat limited Seepage	0.05	Very limited Depth to saturated zone Piping	1.00 0.17	Somewhat limited Slow refill Cutbanks cave	0.95 0.10
407B: Schley-----	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone Seepage	1.00 0.05	Somewhat limited Slow refill Cutbanks cave Deep to water	0.30 0.10 0.01
408B: Olin-----	Very limited Seepage	1.00	Somewhat limited Piping Seepage	0.87 0.08	Very limited Deep to water	1.00
408C: Olin-----	Very limited Seepage	1.00	Somewhat limited Piping Seepage	0.87 0.08	Very limited Deep to water	1.00
412C: Sogn-----	Very limited Seepage Depth to bedrock	1.00 1.00	Very limited Thin layer	1.00	Very limited Deep to water	1.00
412F: Sogn-----	Very limited Seepage Depth to bedrock Slope	1.00 1.00 0.12	Very limited Thin layer	1.00	Very limited Deep to water	1.00
428B: Ely-----	Somewhat limited Seepage	0.70	Somewhat limited Depth to saturated zone Piping	0.43 0.24	Somewhat limited Slow refill Deep to water Cutbanks cave	0.30 0.25 0.10

FIELD OFFICE TECHNICAL GUIDE Sec. II
ENGINEERING INTERPRETATIONS

Water Management

Butler County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
430: Ackmore-----	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone Piping	1.00 0.68	Somewhat limited Slow refill Cutbanks cave	0.30 0.10
457: Du Page-----	Very limited Seepage	1.00	Somewhat limited Piping	0.82	Very limited Deep to water	1.00
485: Spillville-----	Very limited Seepage	1.00	Somewhat limited Piping	0.70	Somewhat limited Deep to water Cutbanks cave	0.81 0.10
585: Spillville-----	Very limited Seepage	1.00	Somewhat limited Piping	0.70	Somewhat limited Deep to water Cutbanks cave	0.81 0.10
Coland-----	Very limited Seepage	1.00	Very limited Depth to saturated zone Piping Seepage	1.00 0.29 0.09	Somewhat limited Cutbanks cave	0.10
621: Houghton-----	Very limited Seepage	1.00	Very limited Content of organic matter Depth to saturated zone	1.00 1.00	Somewhat limited Cutbanks cave	0.10
662D: Mt. Carroll-----	Somewhat limited Seepage Slope	0.70 0.01	Somewhat limited Piping	0.84	Very limited Deep to water	1.00
662D3: Mt. Carroll-----	Somewhat limited Seepage Slope	0.70 0.01	Somewhat limited Piping	0.84	Very limited Deep to water	1.00
662F: Mt. Carroll-----	Somewhat limited Seepage Slope	0.70 0.12	Somewhat limited Piping	0.84	Very limited Deep to water	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
ENGINEERING INTERPRETATIONS

Water Management

Butler County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
662F3: Mt. Carroll-----	Somewhat limited		Somewhat limited		Very limited	
	Seepage	0.70	Piping	0.84	Deep to water	1.00
	Slope	0.12				
713B: Winneshiek-----	Very limited		Somewhat limited		Very limited	
	Seepage	1.00	Thin layer	0.86	Deep to water	1.00
	Depth to bedrock	0.86	Piping	0.41		
714B: Winneshiek-----	Very limited		Somewhat limited		Very limited	
	Seepage	1.00	Thin layer	0.86	Deep to water	1.00
	Depth to bedrock	0.86				
733: Calco-----	Somewhat limited		Very limited		Somewhat limited	
	Seepage	0.70	Depth to saturated zone	1.00	Slow refill	0.30
			Seepage	0.03	Cutbanks cave	0.10
771B: Waubee-----	Somewhat limited		Somewhat limited		Very limited	
	Seepage	0.70	Piping	0.21	Deep to water	1.00
777: Wapsie-----	Very limited		Somewhat limited		Very limited	
	Seepage	1.00	Seepage	0.98	Deep to water	1.00
777B: Wapsie-----	Very limited		Somewhat limited		Very limited	
	Seepage	1.00	Seepage	0.98	Deep to water	1.00
781B: Lourdes-----	Somewhat limited		Somewhat limited		Somewhat limited	
	Seepage	0.05	Piping	0.14	Slow refill	0.95
					Deep to water	0.81
					Cutbanks cave	0.10
781C2: Lourdes-----	Somewhat limited		Somewhat limited		Somewhat limited	
	Seepage	0.05	Piping	0.14	Slow refill	0.95
					Deep to water	0.81
					Cutbanks cave	0.10

FIELD OFFICE TECHNICAL GUIDE Sec. II
ENGINEERING INTERPRETATIONS

Water Management

Butler County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
782B: Donnan-----	Somewhat limited Seepage	0.70	Somewhat limited Depth to saturated zone	0.86	Somewhat limited Slow refill Cutbanks cave Deep to water	0.95 0.10 0.06
782C2: Donnan-----	Somewhat limited Seepage	0.70	Somewhat limited Depth to saturated zone	0.86	Somewhat limited Slow refill Cutbanks cave Deep to water	0.95 0.10 0.06
783B: Cresco-----	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.50	Somewhat limited Slow refill Deep to water Cutbanks cave	0.95 0.81 0.10
783C: Cresco-----	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.50	Somewhat limited Slow refill Deep to water Cutbanks cave	0.95 0.81 0.10
783C2: Cresco-----	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.50	Somewhat limited Slow refill Deep to water Cutbanks cave	0.95 0.81 0.10
784B: Riceville-----	Somewhat limited Seepage	0.05	Somewhat limited Depth to saturated zone Piping	0.43 0.01	Somewhat limited Slow refill Deep to water Cutbanks cave	0.95 0.25 0.10
798B: Protivin-----	Somewhat limited Seepage	0.70	Somewhat limited Depth to saturated zone Piping	0.43 0.04	Somewhat limited Slow refill Deep to water Cutbanks cave	0.95 0.25 0.10
976: Raddle-----	Somewhat limited Seepage	0.70	Very limited Piping	1.00	Very limited Deep to water	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
ENGINEERING INTERPRETATIONS

Water Management

Butler County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
976B: Raddle-----	Somewhat limited Seepage	0.70	Very limited Piping	1.00	Very limited Deep to water	1.00
981B: Worthen-----	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.68	Very limited Deep to water	1.00
1585: Spillville-----	Very limited Seepage	1.00	Somewhat limited Piping	0.70	Somewhat limited Deep to water Cutbanks cave	0.81 0.10
Coland-----	Very limited Seepage	1.00	Very limited Depth to saturated zone Piping Seepage	1.00 0.29 0.06	Somewhat limited Cutbanks cave	0.10
5010: Pits, Sand And Gravel-----	Not rated		Not rated		Not rated	
5030: Pits, Limestone Quarry-----	Not rated		Not rated		Not rated	
5040: Orthents-----	Not rated		Not rated		Not rated	
W: Water-----	Not rated		Not rated		Not rated	